Chassis Model         Freightliner Custom Chassis**         Freight Inter Custom Chassis**           Chassis Model         XCR         XCR           Platform Nome         Freedom Sport Infolge**         Procedom Plate Infolge*           Organie         343         341           Horsapower         343         341           Torque         700         700           Torque         700         700           Alternator         160 Amp         160 Amp           Wheel Cut         55°         55°           Front Tres         277/908 223H         278/808 223H           Rear Tres         277/908 223H         278/808 223H           Rear Tres         278/808 223H         278/808 223H           Rear Tres         284 Drum w/AS         Ar Drum w/ASS           Rear Tres         284 Drum w/ASS         Ar	CHASSIS	34GT	36SS
Platform Name   Freedom Sport Bridge®   Gummines B6.7   Gumm	Chassis Make	Freightliner Custom Chassis®	Freightliner Custom Chassis®
Engine         Commins® 86.7         Cummins® 86.7           Horsepower         340         340           Torque         700         700           Transmission         Allison® 2500 MH 6-Speed w/ Bectronic Shit Control           Alternator         160 Amp         150 Amp           Wheel Out         55°         55°           Front Tires         275/80R 225H         275/80R 225H           Front Brakes         AP Drum w/ABS         AFI Drum w/ABS           Reer Brises         AP Drum w/ABS         AFI Drum w/ABS           Reer Suspension         New yAmp         New yAm           Reer Suspension         43ct         255           CWR (Ibs)         34ct         32ct           GCWR (Ibs)         34ct         32ct           GCWR (Ibs)         32ct         32ct           Front Sappension         43ct         32ct           Reer Suspension         43ct         32ct           WEGHT         34ct         32ct           CWR (Ibs)         32ct         32ct           GWWR (Ibs)         32ct         32ct           Front Sappension         32ct         32ct           Reer Suspension         32ct         32ct	Chassis Model	XCR	XCR
Horsepower	Platform Name	Freedom Sport Bridge®	Freedom Sport Bridge®
Torque         700         700           Transmission         Allison*250 Mit 6-Spead w/ Bectronic Shilt Control         Allison*2500 Mit 6-Spead w/ Bectronic Shilt Control         Allison*2500 Mit 6-Spead w/ Bectronic Shilt Control           Alternator         Allison*250 Mit 6-Spead w/ Bectronic Shilt Control         Allison*2500 Mit 6-Spead w/ Bectronic Shilt Control           Wheel Cut         55°         55°           Front Trace         275/80R 225H         275/80R 225H           Bear Tree         275/80R 225H         275/80R 225H           Front Brakes         Air Drum w/ABS         Air Drum w/ABS           Front Suspension         Newsy Air         Newsy Air           Rear Saspension         Newsy Air         Newsy Air           WEIGHTS         360         33,000         33,000           GCWR (lbs)         32,400         32,400           Front Suspension         32,400         32,400           Front Suspension         32,400         32,400           GCWR (lbs)         32,400         32,400           Front Suspension         32,400         32,400           Front Suspension         32,400         32,400           Brake (Bw)         10,000         10,000           Brake (Bw)         32,600         32,600     <	Engine	Cummins® B6.7	Cummins® B6.7
Transmission         Allison* 2500 MH 6*Speed w/ Electronic Shift Control         Allison* 2500 MH 6*Speed w/ Electronic Shift Control           Alternator         160 Amp         160 Amp           Wheel Cut         55°         55°           Front Tires         275/808 225H         275/808 225H           Front Brakes         An Drum w/ABS         Ar Drum w/ABS           Rear Brake         Air Drum w/ABS         Ar Drum w/ABS           Rear Suppension         V-Ride Air         V-Ride Air           WEGHTS         34GT         3858           GCWR (bb)         33,000         33,000           GVWR (bb)         33,000         33,000           GVWR (bb)         32,400         12,400           Rear GAWPR (bb)         12,400         10,000           Front GAWR (bb)         10,000         10,000           Prontingue Weight (bbs)         10,000         10,000           DIMENSION         34GT         385*           Wheelbase         200°         242°           Overall Length         335*         38*           Overall Length         121°0°         121°0°           Overall Weith (Maximum)         183         151           Interior Storage (cu. ft.)         183	Horsepower	340	340
Miterator   160 Amp   16	Torque	700	700
Wheel Cut         55°         55°           Front Tires         225/80R 225H         275/80R 225H           Rear Tires         275/80R 225H         275/80R 225H           Front Brakes         Ar Drum w/ABS         Air Drum w/ABS           Rear Brakes         Ar Drum w/ABS         Air Drum w/ABS           Front Suspension         Neway Air         Neway Air           Neway Air         Neway Air         Neway Air           V-Ride Air         V-Ride Air         V-Ride Air           WEIGHTS         34GT         365S           GCWR (lbs)         33,000         33,000           GWR (lbs)         32,400         32,400           Front GAWR (lbs)         12,400         12,400           Front GAWR (lbs)         20,000         20,000           Hick Rating Weight (lbs)         10,000         10,000           Tongue Weight (lbs)         10,000         10,000           DMNSONS         34GT         365S           Wheel Base         206"         242"           Overall Leight         35'4"         38'4"           Overall Weight (Maximum)         102"         102"           Interior Fight (Maximum)         84"         84"           Interior We	Transmission		
Front Tires         275/80R225H         275/80R225H           Rear Tires         275/80R225H         275/80R225H           Front Brakes         Air Drum w/ABS         Air Drum w/ABS           Rear Brakes         Air Drum w/ABS         Air Drum w/ABS           Front Suspension         Neway Air         Neway Air           Rear Suspension         V-Ride Air         V-Ride Air           WEIGHTS         34GT         36SS           GCWR (lbs)         32,400         32,400           GWR (lbs)         32,400         32,400           Front GAWR (lbs)         12,400         12,400           Rear GAWR (lbs)         10,000         10,000           Tongue Weight (lbs)         10,000         10,000           Tongue Weight (lbs)         10,000         10,000           DIMENSIONS         34GT         36SS           Wheelbase         206"         242"           Overall Height         35'4"         38'4"           Overall Height (Maximum)         102"         102"           Interior Height (Maximum)         84"         84"           Interior Storage (cut. ft)         183         151           Exterior Storage (cut. ft)         183         151	Alternator	160 Amp	160 Amp
Rear Tires         275/80R225H         275/80R225H           Front Backs         Air Drum w/ABS         Air Drum w/ABS           Rear Brakes         Air Drum w/ABS         Air Drum w/ABS           Rear Brakes         Air Drum w/ABS         Air Drum w/ABS           Front Suspension         Neway Air         Neway Air           Rear Suspension         V-Ride Air         V-Ride Air           WEIGHTS         34GT         35SS           GCWR (lbs)         33,000         33,000           GCWR (lbs)         32,400         32,400           Front GAWR (lbs)         12,400         12,400           Rear GAWR (lbs)         10,000         10,000           Front GAWR (lbs)         10,000         10,000           Rear GAWR (lbs)         10,000         10,000           Mittaling Weight (lbs)         10,000         10,000           Tongue Weight (lbs)         10,000 <td< td=""><td>Wheel Cut</td><td>55°</td><td>55°</td></td<>	Wheel Cut	55°	55°
Front Brakes         Air Drum w/ABS         Air Drum w/ABS           Rear Brakes         Air Drum w/ABS         Air Drum w/ABS           Front Suspension         Newsy Air         Neway Air           Rear Suspension         V-Ride Air         Neway Air           Rear Suspension         V-Ride Air         Neway Air           WEIGHTS         34GT         38SS           GCWR (lbs)         33,000         33,000           GVWR (lbs)         32,400         32,400           Front GAWR (lbs)         12,400         12,400           Rear GAWR (lbs)         10,000         10,000           Tongue Weight (lbs)         10,000         10,000           Tongue Weight (lbs)         10,000         10,000           DMENSIONS         34GT         36SS           Wheelbase         206"         242"           Overall Leight         12 10"         12"10"           Overall Width (Maximum)         102"         12"10"           Overall Width (Maximum)         84"         84"           Interior Storage Cut. ft.)         183         151           Interior Storage Cut. ft.)         183         151           Exterior Storage Cut. ft.)         183         151	Front Tires	275/80R 22.5H	275/80R 22.5H
Rear Brakes         Air Drum w/ABS         Air Drum w/ABS           Front Suspension         Neway Air         Neway Air           Rear Suspension         V-Ride Air         V-Ride Air           WEIGHTS         34GT         36SS           GCWR (Ibs)         33,000         33,000           GVWR (Ibs)         32,400         32,400           Front GAWR (Ibs)         12,400         12,400           Rear GAWR (Ibs)         10,000         10,000           Tingue Weight (Ibs)         10,000         10,000           Tongue Weight (Ibs)         10,000         1,000           Tongue Weight (Ibs)         1,000         1,000	Rear Tires	275/80R 22.5H	275/80R 22.5H
Front Suspension         Neway Air         Neway Air           Rear Suspension         V-Ride Air         V-Ride Air           WEIGHTS         34GT         36SS           GCWR (lbs)         33,000         33,000           GCWR (lbs)         32,400         32,400           Front GAWR (lbs)         12,400         12,400           Rear GAWR (lbs)         20,000         20,000           Hitch Rating Weight (lbs)         10,000         10,000           Tongue Weight (lbs)         1,000         1,000           DIMENSIONS         36S         36S           Wheelbase         206"         242"           Overall Length         35' 4"         38' 4"           Overall Height         12'10"         12'10"           Overall Width (Maximum)         102"         102"           Interior Height (Maximum)         84"         84"           Interior Width (Maximum)         96"         96"           Interior Storage (cu. ft.)         183         151           Exterior Storage (cu. ft.)         183         151           Exterior Storage (cu. ft.)         183         151           Exterior Storage (cu. ft.)         135         190           Patio Awi	Front Brakes	Air Drum w/ABS	Air Drum w/ABS
Rear Suspension         V-Ride Air         V-Ride Air           WEIGHTS         34GT         36SS           GCWR (Ibs)         33,000         33,000           GVWR (Ibs)         32,400         32,400           Front GAWR (Ibs)         12,400         12,400           Rear GAWR (Ibs)         20,000         20,000           Hitch Rating Weight (Ibs)         10,000         10,000           Tongue Weight (Ibs)         1,000         1,000           DIMENSIONS         34GT         36SS           Wheelbase         206"         242"           Overall Length         35'4"         38'4"           Overall Weight (Maximum)         102"         12'10"           Overall Weight (Maximum)         84"         84"           Interior Height (Maximum)         84"         84"           Interior Square (Feet)         183         151           Interior Storage (cu.ft.)         183         151           Exterior Storage (cu.ft.)         183         151           Exterior Storage (cu.ft.)         135         190           Entry Door Awning Size         4"0"         4"0"           # of Slideouts         3         3           CAPACITIES <td< td=""><td>Rear Brakes</td><td>Air Drum w/ABS</td><td>Air Drum w/ABS</td></td<>	Rear Brakes	Air Drum w/ABS	Air Drum w/ABS
WEIGHTS         34GT         36SS           GCWR (lbs)         33,000         33,000           GVWR (lbs)         32,400         32,400           Front GAWR (lbs)         12,400         12,400           Rear GAWR (lbs)         20,000         20,000           Hisch Rating Weight (lbs)         10,000         10,000           Tongue Weight (lbs)         1,000         1,000           DIMENSIONS         34GT         36SS           Wheelbase         206"         242"           Overall Length         35'4"         38'4"           Overall Height         12'10"         12'10"           Overall Width (Maximum)         84"         84"           Interior Width (Maximum)         84"         84"           Interior Square (Feet)         183         151           Interior Storage (cu.ft.)         183         151           Exterior Storage (cu.ft.)         135         190           Patic Awning Width         20'0"         15'0"           Entry Door Awning Size         4'0"         4'0"           # of Sideouts         3         3           CAPACITIES         34GT         36SS           Fuel Capacity (gal)         66         6	Front Suspension	Neway Air	Neway Air
GCWR (lbs)         33,000         33,000           GVWR (lbs)         32,400         32,400           Front GAWR (lbs)         12,400         12,400           Rear GAWR (lbs)         20,000         20,000           Hitch Rating Weight (lbs)         10,000         10,000           Tongue Weight (lbs)         1,000         1,000           DIMENSIONS         34GT         36SS           Wheelbase         206"         242"           Overall Length         35'4"         38'4"           Overall Height         12'10"         12'10"           Overall Width (Maximum)         84"         84"           Interior Width (Maximum)         96"         96"           Interior Square (Feet)         183         151           Interior Square (Feet)         183         151           Interior Storage (cu. ft.)         183         151           Exterior Storage (cu. ft.)         135         190           Patio Awning Width         20'0"         15'0"           Entry Door Awning Size         4'0"         4'0"           # of Slideouts         3         3           CAPACTIES         34GT         36SS           Fuel Capacity (gal)         65 <td>Rear Suspension</td> <td>V-Ride Air</td> <td>V-Ride Air</td>	Rear Suspension	V-Ride Air	V-Ride Air
GVWR (lbs)         32,400         32,400           Front GAWR (lbs)         12,400         12,400           Rear GAWR (lbs)         20,000         20,000           Hitch Rating Weight (lbs)         10,000         10,000           Tongue Weight (lbs)         1,000         1,000           DMENSIONS         34GT         36SS           Wheelbase         206"         242"           Overall Length         35' 4"         38' 4"           Overall Width (Maximum)         102"         12'10"           Interior Height (Maximum)         84"         84"           Interior Width (Maximum)         96"         96"           Interior Square (Feet)         183         151           Interior Square (Feet)         183         151           Interior Storage (cu. ft.)         183         151           Exterior Storage (cu. ft.)         135         190           Pato Awning Width         20"0"         15"0"           Entry Door Awning Size         4"0"         4"0"           # of Slideouts         3         3           CAPACITIES         36S         5           Fuel Capacity (gal)         96         96           Grey Water Capacity (gal)	WEIGHTS	34GT	36SS
Front GAWR (lbs)         12,400         12,400           Rear GAWR (lbs)         20,000         20,000           Hitch Rating Weight (lbs)         10,000         10,000           Tongue Weight (lbs)         1,000         1,000           DMENSIONS         346T         365S           Wheelbase         206"         242"           Overall Length         35' 4"         38' 4"           Overall Height         12' 10"         12' 10"           Overall Width (Maximum)         102"         102"           Interior Height (Maximum)         84"         84"           Interior Square (Feet)         183         151           Interior Square (Feet)         183         151           Interior Storage (cu. ft.)         135         190           Pato Awning Width         20'0"         15'0"           Entry Door Awning Size         4'0"         4'0"           # of Slideouts         3         3           CAPACITIES         34GT         36SS           Fuel Capacity (gal)         96         96           Grey Water Capacity (gal)         96         96           Grey Water Capacity (gal)         65         65           Black Water Capacity (gal)	GCWR (lbs)	33,000	33,000
Rear GAWR (lbs)         20,000         20,000           Hitch Rating Weight (lbs)         10,000         10,000           Tongue Weight (lbs)         1,000         1,000           DIMENSIONS         34GT         36SS           Wheelbase         206"         242"           Overall Length         35'4"         38'4"           Overall Height         12'10"         12'10"           Overall Width (Maximum)         102"         102"           Interior Height (Maximum)         84"         84"           Interior Square (Feet)         183         151           Interior Square (Feet)         183         151           Interior Storage (cu.ft.)         135         190           Patio Awning Width         20'0"         15'0"           Entry Door Awning Size         4'0"         4'0"           # of Sildeouts         3         3           CAPACITIES         34GT         36SS           Fuel Capacity (gal)         100         100           Fresh Water Capacity (gal)         65         65           Black Water Capacity (gal)         45         45           Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT	GVWR (lbs)	32,400	32,400
Hitch Rating Weight (lbs)         10,000         10,000           Tongue Weight (lbs)         1,000         1,000           DIMENSIONS         34GT         36SS           Wheelbase         206"         242"           Overall Length         35'4"         38'4"           Overall Height         12'10"         12'10"           Overall Width (Maximum)         102"         102"           Interior Height (Maximum)         84"         84"           Interior Vidth (Maximum)         96"         96"           Interior Square (Feet)         183         151           Interior Storage (cu.ft.)         183         151           Exterior Storage (cu.ft.)         135         190           Patio Awning Width         20'0"         15'0"           Entry Door Awning Size         4'0"         4'0"         4'0"           # of Sildeouts         3         3         3           CAPACITIES         34GT         36SS           Fuel Capacity (gal)         100         100           Fresh Water Capacity (gal)         96         96           Grey Water Capacity (gal)         45         45           Black Water Capacity (gal)         45         45	Front GAWR (lbs)	12,400	12,400
Tongue Weight (lbs)         1,000         1,000           DIMENSIONS         34GT         36SS           Wheelbase         206"         242"           Overall Length         35' 4"         38' 4"           Overall Height         12' 10"         12' 10"           Overall Width (Maximum)         102"         102"           Interior Height (Maximum)         84"         84"           Interior Width (Maximum)         96"         96"           Interior Square (Feet)         183         151           Interior Storage (cu.ft.)         183         151           Exterior Storage (cu.ft.)         135         190           Patio Awning Width         20'0"         15'0"           Entry Door Awning Size         4'0"         4'0"           # of Slideouts         3         3           CAPACITIES         34GT         36SS           Fuel Capacity (gal)         100         100           Fresh Water Capacity (gal)         65         65           Black Water Capacity (gal)         45         45           Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT         36SS	Rear GAWR (lbs)	20,000	20,000
DIMENSIONS         34GT         36SS           Wheelbase         206"         242"           Overall Length         35' 4"         38' 4"           Overall Height         12'10"         12'10"           Overall Width (Maximum)         102"         102"           Interior Height (Maximum)         84"         84"           Interior Width (Maximum)         96"         96"           Interior Square (Feet)         183         151           Interior Storage (cu.ft.)         183         151           Exterior Storage (cu.ft.)         135         190           Patio Awning Width         20'0"         15'0"           Entry Door Awning Size         4'0"         4'0"           # of Slideouts         3         3           CAPACITIES         34GT         36SS           Fuel Capacity (gal)         100         100           Fresh Water Capacity (gal)         65         65           Black Water Capacity (gal)         45         45           Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT         36SS	Hitch Rating Weight (Ibs)	10,000	10,000
Wheelbase         206"         242"           Overall Length         35'4"         38'4"           Overall Height         12'10"         12'10"           Overall Width (Maximum)         102"         102"           Interior Height (Maximum)         84"         84"           Interior Width (Maximum)         96"         96"           Interior Square (Feet)         183         151           Interior Storage (cu. ft.)         183         151           Exterior Storage (cu. ft.)         135         190           Patio Awning Width         20'0"         15'0"           Entry Door Awning Size         4'0"         4'0"           # of Sideouts         3         3           CAPACITIES         34GT         36SS           Fuel Capacity (gal)         100         100           Fresh Water Capacity (gal)         96         96           Grey Water Capacity (gal)         65         65           Black Water Capacity (gal)         45         45           Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT         36SS	Tongue Weight (lbs)	1,000	1,000
Overall Length         35' 4"         38' 4"           Overall Height         12' 10"         12' 10"           Overall Width (Maximum)         102"         102"           Interior Height (Maximum)         84"         84"           Interior Width (Maximum)         96"         96"           Interior Square (Feet)         183         151           Interior Storage (cu. ft.)         183         151           Exterior Storage (cu. ft.)         135         190           Patio Awning Width         20'0"         15'0"           Entry Door Awning Size         4'0"         4'0"           # of Slideouts         3         3           CAPACITIES         34GT         36SS           Fuel Capacity (gal)         100         100           Fresh Water Capacity (gal)         96         96           Grey Water Capacity (gal)         65         65           Black Water Capacity (gal)         45         45           Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT         36SS	DIMENSIONS	34GT	36SS
Overall Height         12'10"         12'10"           Overall Width (Maximum)         102"         102"           Interior Height (Maximum)         84"         84"           Interior Width (Maximum)         96"         96"           Interior Square (Feet)         183         151           Interior Storage (cu. ft.)         183         151           Exterior Storage (cu. ft.)         135         190           Patio Awning Width         20'0"         15'0"           Entry Door Awning Size         4'0"         4'0"           # of Slideouts         3         3           CAPACITIES         34GT         36SS           Fuel Capacity (gal)         100         100           Fresh Water Capacity (gal)         96         96           Grey Water Capacity (gal)         65         65           Black Water Capacity (gal)         45         45           Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT         36SS	Wheelbase	206"	242"
Overall Width (Maximum)         102"         102"           Interior Height (Maximum)         84"         84"           Interior Width (Maximum)         96"         96"           Interior Square (Feet)         183         151           Interior Storage (cu. ft.)         183         151           Exterior Storage (cu. ft.)         135         190           Patio Awning Width         20"0"         15"0"           Entry Door Awning Size         4"0"         4"0"           # of Slideouts         3         3           CAPACITIES         34GT         36SS           Fuel Capacity (gal)         100         100           Fresh Water Capacity (gal)         96         96           Grey Water Capacity (gal)         65         65           Black Water Capacity (gal)         45         45           Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT         36SS	Overall Length	35' 4"	38' 4"
Interior Height (Maximum)       84"       84"         Interior Width (Maximum)       96"       96"         Interior Square (Feet)       183       151         Interior Storage (cu.ft.)       183       151         Exterior Storage (cu.ft.)       135       190         Patio Awning Width       20'0"       15'0"         Entry Door Awning Size       4'0"       4'0"         # of Slideouts       3       3         CAPACITIES       34GT       365S         Fuel Capacity (gal)       100       100         Fresh Water Capacity (gal)       96       96         Grey Water Capacity (gal)       65       65         Black Water Capacity (gal)       45       45         Def. Tank (gal)       13       13         CHASSIS COMPONENTS       34GT       36SS	Overall Height	12'10"	12'10"
Interior Width (Maximum)       96"       96"         Interior Square (Feet)       183       151         Interior Storage (cu. ft.)       183       151         Exterior Storage (cu. ft.)       135       190         Patio Awning Width       20"0"       15"0"         Entry Door Awning Size       4"0"       4"0"         # of Slideouts       3       3         CAPACITIES       34GT       36SS         Fuel Capacity (gal)       100       100         Fresh Water Capacity (gal)       96       96         Grey Water Capacity (gal)       65       65         Black Water Capacity (gal)       45       45         Def. Tank (gal)       13       13         CHASSIS COMPONENTS       34GT       36SS	Overall Width (Maximum)	102"	102"
Interior Square (Feet)       183       151         Interior Storage (cu. ft.)       183       151         Exterior Storage (cu. ft.)       135       190         Patio Awning Width       20'0"       15'0"         Entry Door Awning Size       4'0"       4'0"         # of Slideouts       3       3         CAPACITIES       34GT       36SS         Fuel Capacity (gal)       100       100         Fresh Water Capacity (gal)       96       96         Grey Water Capacity (gal)       65       65         Black Water Capacity (gal)       45       45         Def. Tank (gal)       13       13         CHASSIS COMPONENTS       34GT       36SS	Interior Height (Maximum)	84"	84"
Interior Storage (cu. ft.)       183       151         Exterior Storage (cu. ft.)       135       190         Patio Awning Width       20'0"       15'0"         Entry Door Awning Size       4'0"       4'0"         # of Slideouts       3       3         CAPACITIES       34GT       36SS         Fuel Capacity (gal)       100       100         Fresh Water Capacity (gal)       96       96         Grey Water Capacity (gal)       65       65         Black Water Capacity (gal)       45       45         Def. Tank (gal)       13       13         CHASSIS COMPONENTS       34GT       36SS	Interior Width (Maximum)	96"	96"
Exterior Storage (cu. ft.)       135       190         Patio Awning Width       20'0"       15'0"         Entry Door Awning Size       4'0"       4'0"         # of Slideouts       3       3         CAPACITIES       34GT       36SS         Fuel Capacity (gal)       100       100         Fresh Water Capacity (gal)       96       96         Grey Water Capacity (gal)       65       65         Black Water Capacity (gal)       45       45         Def. Tank (gal)       13       13         CHASSIS COMPONENTS       34GT       36SS	Interior Square (Feet)	183	151
Patio Awning Width         20'0"         15'0"           Entry Door Awning Size         4'0"         4'0"           # of Slideouts         3         3           CAPACITIES         34GT         36SS           Fuel Capacity (gal)         100         100           Fresh Water Capacity (gal)         96         96           Grey Water Capacity (gal)         65         65           Black Water Capacity (gal)         45         45           Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT         36SS	Interior Storage (cu. ft.)	183	151
Entry Door Awning Size       4'0"       4'0"         # of Slideouts       3       3         CAPACITIES       34GT       36SS         Fuel Capacity (gal)       100       100         Fresh Water Capacity (gal)       96       96         Grey Water Capacity (gal)       65       65         Black Water Capacity (gal)       45       45         Def. Tank (gal)       13       13         CHASSIS COMPONENTS       34GT       36SS	Exterior Storage (cu. ft.)	135	190
# of Slideouts 3 3 3  CAPACITIES 34GT 36SS  Fuel Capacity (gal) 100 100  Fresh Water Capacity (gal) 96 96  Grey Water Capacity (gal) 65 65  Black Water Capacity (gal) 45 45  Def. Tank (gal) 13 13  CHASSIS COMPONENTS 34GT 36SS	Patio Awning Width	20'0"	15' 0"
CAPACITIES         34GT         36SS           Fuel Capacity (gal)         100         100           Fresh Water Capacity (gal)         96         96           Grey Water Capacity (gal)         65         65           Black Water Capacity (gal)         45         45           Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT         36SS	Entry Door Awning Size	4' 0"	4' O"
Fuel Capacity (gal)       100       100         Fresh Water Capacity (gal)       96       96         Grey Water Capacity (gal)       65       65         Black Water Capacity (gal)       45       45         Def. Tank (gal)       13       13         CHASSIS COMPONENTS       34GT       36SS	# of Slideouts	3	3
Fresh Water Capacity (gal)         96         96           Grey Water Capacity (gal)         65         65           Black Water Capacity (gal)         45         45           Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT         36SS	CAPACITIES	34 <b>G</b> T	36SS
Grey Water Capacity (gal)         65         65           Black Water Capacity (gal)         45         45           Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT         36SS	Fuel Capacity (gal)	100	100
Black Water Capacity (gal)         45         45           Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT         36SS	Fresh Water Capacity (gal)	96	96
Def. Tank (gal)         13         13           CHASSIS COMPONENTS         34GT         36SS	Grey Water Capacity (gal)	65	65
CHASSIS COMPONENTS 34GT 36SS	Black Water Capacity (gal)	45	45
	Def. Tank (gal)	13	13
Tire Pressure Monitoring System S	CHASSIS COMPONENTS	34GT	36SS
	Tire Pressure Monitoring System	S	S



(2) 12V Heavy Duty Chassis Batteries	S	S
CSA Package - FCCC	0	0
Power Assisted Steering	S	S
Tuned SACHS® Shocks	S	S
Front and Rear Aluminum Wheels	S	S
Valve Stem Extensions	S	- S
BrakeSync (FCCC)	0	0
CONSTRUCTION	34GT	36SS
Powerlock System 2 - Interlocking Walls to Roof	S	S
Dryseal Edge Coating for all Ceilings, Walls and Floors	S	S
High Density Polystyrene Insulated Sidewalls, Roof and Floor	S	S
Heated Fresh Water and Holding Tank Compartments (w/Aqua Hot Operational)	S	S
Vacu-Bond Aluminum Framed Constructed Sidewalls, Roof and Floors	S	S
Full Pass Through Basement Storage w/Composite Floor Construction	S	S
Painted Steel Frame Chassis Construction	S	S
Premium Gel Exterior Vetrosina Fiberglass Skin (No Wood Substrate)	S	S
Electric Slideout Systems	S	S
Quiet Insulated, Ducted A/C System	S	S
Steel Constructed Entry Step Box	S	S
Full Coverage Heavy Duty Undercoating	S	S
EXTERIOR	34GT	36SS
Roof Vent Rain Covers	0	0
Roof Vent Rain Covers Fiberglass Rear Cap Assembly	O S	O S
Fiberglass Rear Cap Assembly	S	S
Fiberglass Rear Cap Assembly Rear Ladder	S S	S S
Fiberglass Rear Cap Assembly Rear Ladder Entry Door w/Radiused Upper, Deadbolt and Screen Door TPO Roof	\$ \$ \$	\$ \$ \$
Fiberglass Rear Cap Assembly Rear Ladder Entry Door w/Radiused Upper, Deadbolt and Screen Door	\$ \$ \$ \$	\$ \$ \$ \$
Fiberglass Rear Cap Assembly  Rear Ladder  Entry Door w/Radiused Upper, Deadbolt and Screen Door  TPO Roof  Slideout Awning Toppers Above All Slideouts	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$
Fiberglass Rear Cap Assembly  Rear Ladder  Entry Door w/Radiused Upper, Deadbolt and Screen Door  TPO Roof  Slideout Awning Toppers Above All Slideouts  Front, Side and Rear Clearance and Marker Lighting  Porch Light w/Interior Switch	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S
Fiberglass Rear Cap Assembly  Rear Ladder  Entry Door w/Radiused Upper, Deadbolt and Screen Door  TPO Roof  Slideout Awning Toppers Above All Slideouts  Front, Side and Rear Clearance and Marker Lighting  Porch Light w/Interior Switch	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Fiberglass Rear Cap Assembly  Rear Ladder  Entry Door w/Radiused Upper, Deadbolt and Screen Door  TPO Roof  Slideout Awning Toppers Above All Slideouts  Front, Side and Rear Clearance and Marker Lighting  Porch Light w/Interior Switch  Fiberglass Front Cap Assembly  Unidirectional HD On-Air Antenna	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S
Fiberglass Rear Cap Assembly Rear Ladder Entry Door w/Radiused Upper, Deadbolt and Screen Door TPO Roof Slideout Awning Toppers Above All Slideouts Front, Side and Rear Clearance and Marker Lighting Porch Light w/Interior Switch Fiberglass Front Cap Assembly	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S
Fiberglass Rear Cap Assembly  Rear Ladder  Entry Door w/Radiused Upper, Deadbolt and Screen Door  TPO Roof  Slideout Awning Toppers Above All Slideouts  Front, Side and Rear Clearance and Marker Lighting  Porch Light w/Interior Switch  Fiberglass Front Cap Assembly  Unidirectional HD On-Air Antenna  Automatic Hydraulic Leveling Jacks  Patio Lighting	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Fiberglass Rear Cap Assembly  Rear Ladder  Entry Door w/Radiused Upper, Deadbolt and Screen Door  TPO Roof  Slideout Awning Toppers Above All Slideouts  Front, Side and Rear Clearance and Marker Lighting  Porch Light w/Interior Switch  Fiberglass Front Cap Assembly  Unidirectional HD On-Air Antenna  Automatic Hydraulic Leveling Jacks  Patio Lighting  Lighted Acrylic Grab Handle at Entry Door	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Fiberglass Rear Cap Assembly  Rear Ladder  Entry Door w/Radiused Upper, Deadbolt and Screen Door  TPO Roof  Slideout Awning Toppers Above All Slideouts  Front, Side and Rear Clearance and Marker Lighting  Porch Light w/Interior Switch  Fiberglass Front Cap Assembly  Unidirectional HD On-Air Antenna  Automatic Hydraulic Leveling Jacks  Patio Lighting  Lighted Acrylic Grab Handle at Entry Door  Automatic Entrance Steps	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Fiberglass Rear Cap Assembly  Rear Ladder  Entry Door w/Radiused Upper, Deadbolt and Screen Door  TPO Roof  Slideout Awning Toppers Above All Slideouts  Front, Side and Rear Clearance and Marker Lighting  Porch Light w/Interior Switch  Fiberglass Front Cap Assembly  Unidirectional HD On-Air Antenna  Automatic Hydraulic Leveling Jacks  Patio Lighting  Lighted Acrylic Grab Handle at Entry Door  Automatic Entrance Steps  King Universal Stationary Satellite	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S
Fiberglass Rear Cap Assembly  Rear Ladder  Entry Door w/Radiused Upper, Deadbolt and Screen Door  TPO Roof  Slideout Awning Toppers Above All Slideouts  Front, Side and Rear Clearance and Marker Lighting  Porch Light w/Interior Switch  Fiberglass Front Cap Assembly  Unidirectional HD On-Air Antenna  Automatic Hydraulic Leveling Jacks  Patio Lighting  Lighted Acrylic Grab Handle at Entry Door  Automatic Entrance Steps  King Universal Stationary Satellite  4-Color Premier Full Body Paint	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Fiberglass Rear Cap Assembly  Rear Ladder  Entry Door w/Radiused Upper, Deadbolt and Screen Door  TPO Roof  Slideout Awning Toppers Above All Slideouts  Front, Side and Rear Clearance and Marker Lighting  Porch Light w/Interior Switch  Fiberglass Front Cap Assembly  Unidirectional HD On-Air Antenna  Automatic Hydraulic Leveling Jacks  Patio Lighting  Lighted Acrylic Grab Handle at Entry Door  Automatic Entrance Steps  King Universal Stationary Satellite  4-Color Premier Full Body Paint	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Fiberglass Rear Cap Assembly Rear Ladder Entry Door w/Radiused Upper, Deadbolt and Screen Door TPO Roof Slideout Awning Toppers Above All Slideouts Front, Side and Rear Clearance and Marker Lighting Porch Light w/Interior Switch Fiberglass Front Cap Assembly Unidirectional HD On-Air Antenna Automatic Hydraulic Leveling Jacks Patio Lighting Lighted Acrylic Grab Handle at Entry Door Automatic Entrance Steps King Universal Stationary Satellite 4-Color Premier Full Body Paint 7-Way Round Tow Connection	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S
Fiberglass Rear Cap Assembly  Rear Ladder  Entry Door w/Radiused Upper, Deadbolt and Screen Door  TPO Roof  Slideout Awning Toppers Above All Slideouts  Front, Side and Rear Clearance and Marker Lighting  Porch Light w/Interior Switch  Fiberglass Front Cap Assembly  Unidirectional HD On-Air Antenna  Automatic Hydraulic Leveling Jacks  Patio Lighting  Lighted Acrylic Grab Handle at Entry Door  Automatic Entrance Steps  King Universal Stationary Satellite  4-Color Premier Full Body Paint  7-Way Round Tow Connection  Oversized Dark Tinted Frameless Windows  Powered Entrance Awning w/LED Lighting	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S
Fiberglass Rear Cap Assembly  Rear Ladder  Entry Door w/Radiused Upper, Deadbolt and Screen Door  TPO Roof  Slideout Awning Toppers Above All Slideouts  Front, Side and Rear Clearance and Marker Lighting  Porch Light w/Interior Switch  Fiberglass Front Cap Assembly  Unidirectional HD On-Air Antenna  Automatic Hydraulic Leveling Jacks  Patio Lighting  Lighted Acrylic Grab Handle at Entry Door  Automatic Entrance Steps  King Universal Stationary Satellite  4-Color Premier Full Body Paint  7-Way Round Tow Connection  Oversized Dark Tinted Frameless Windows	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S



Front and Rear Mud Flaps	S	S
ABS Wheel Well Trims	S	S
Legless Electric Patio Awning w/LED Lighting and Motion Sensor Retract	S	S
Exterior Park Cable and Satellite Hookup	S	S
Exterior Service Station - Includes: Water Pump Switch, Exterior Shower, Black Tank Flush, City Water Hookup, Towel Holder and Drainage Valves	S	S
Rear Under Hood Utility Light	S	S
CABEXTERIOR	34GT	36SS
Tinted Slider Driver Window	S	S
Front Mount, Remote Power/Heated Mirrors w/Turn Signals and Side Cameras	S	S
Top Mount Automotive Style Windshield Wiper System	S	S
Automotive One Piece Bonded Windshield	S	S
Lower Front Clear Protective Film	S	S
INTERIOR	34 <b>G</b> T	36SS
Electric Fireplace (Living Area)	S	S
Stackable Washer and Dryer	0	-
Accent Lighting	S	S
Energy Efficient LED 3" Flush Mount Ceiling Lighting	S	S
Sofa w/Dual Power Motion Lounge	-	S
120 V/USB Receptacles	S	S
Side-By-Side Washer and Dryer	-	0
Composite Tile Flooring	S	S
Adapt-table® Dinette	-	S
Full Extension Drawer Guides w/Latches	S	S
Interior Soft Touch Vinyl Ceiling	S	S
Coordinating Window Treatments	S	S
Power Motion Lounge	0	-
Manual Day/Night Roller Shades	S	S
Jack-Knife Dinette Booth	S	-
Sofa w/Queen Sleeper Bed	S	-
Hidden Hinge Cabinet Doors	S	S
INTERIOR ENTRY	34GT	36SS
Entry Door Manual Roller Shade and Blind	S	S
Entry Step w/LED Accent Lighting	S	S
Power Entry Step Cover	S	S
Battery Disconnect Switch at Entry Console	S	S
Metal Interior Grab Handle	S	S
ELECTRIC AND UTILITIES	34GT	36SS
Inverter: Single 2000W Pure Sine w/Remote	S	S
Aqua-Hot 250D	S	S
Water Filtration System (Whole Coach)	S	S
Service Panel: 50 Amp, 120 Volt	S	S
Generator Auto Changeover	S	S
Energy Management System (EMS)	S	S



Generator: 6000W Onan Quiet Diesel	S	S
Gravity Water Fill	S	S
Batteries: (4) 6V Deep Cycle House Batteries	S	S
Electric Power Cord Reel	0	0
Auto Gen Start	S	S
High Capacity Water Pump	S	S
Neutral Loss Protection	S	S
Cable TV/Satellite Hookup	S	S
CO and Smoke Detectors, Fire Extinguisher	S	S
Transfer Switch w/Surge and Reverse Polarity Protection	S	S
Air Conditioner: (2) Roof Mount High Efficiency Ducted 15,000 BTU w/Chill Grill	0	0
Black Holding Tank San-T-Flush System	S	S
Air Conditioner: (2) Roof Mount High Efficiency Ducted 13,500 BTU w/Chill Grill	S	S
Multiplex Wiring System	S	S
Power Converter: 60 Amp	S	S
Central Vacuum System	0	0
KITCHEN	34GT	36SS
2-Burner Recessed Induction Cooktop	S	S
Polished Solid Surface Galley Countertop	S	S
Polished Solid Surface Sink Covers	S	S
Stainless Steel OTR Convection Microwave	S	S
Residential Faucet w/Pullout Sprayer	S	S
Shadow Box Glass Tile Backsplash w/Window and Shade	S	S
Full Extension Drawer Guides w/Latches	S	S
Adjustable Shelving	S	S
Power Vent	S	S
Stainless Steel Residential Refrigerator	S	S
Single-Bowl, Stainless Steel Farmhouse Sink	S	S
Pantry Storage	S	S
Waste Basket	S	S
BEDROOM / BUNK	34GT	36SS
Headboard	S	S
Spacious Wardrobe Storage w/Hardwood Doors	S	S
Designer Bedspread and Pillows w/Shams	S	S
Individual Reading Lights at Bed Overhead	S	S
120V/USB Receptacles at Nightstand(s)	S	S
CPAP Prep In Bedroom Overhead	S	S
Encore Series King Bed	S	S
Remote Generator Start Switch	S	S
BATHROOM	34GT	36SS
Towel Ring(s) and Toilet Paper Holder	S	S
Medicine Cabinet w/Mirror	S	S
Lavy Countertop w/Backsplash	S	S



Fiberglass Shower	S	S
Power Vent(s)	S	S
Porcelain Toilet w/Macerator	-	S
Residential Faucet(s)	S	S
Manual Night Roller Shade(s)	S	S
Residential Sink(s)	S	S
Glass Shower Door	S	S
Shower Skylight	S	S
Designer Shower Head Assembly	S	S
ENTERTAINMENT	34GT	36SS
LED TV (Living Area)	-	S
Exterior Entertainment Center w/LED TV and Bluetooth® Soundbar	S	S
LED TV (Bedroom)	S	S
LED TV (Front Overhead)	0	0
Pop-up LED TV (Living Area)	S	-
Soundbar TV Sound System (Living Area)	S	S
CABINTERIOR	34GT	36SS
Color Backup Monitor	S	S
Map Lights	S	S
Driver and Passenger Side Manual Roller Shades and Blinds	S	S
Hide-A-Loft™ Power Drop-Down Overhead Bunk w/LED TV	0	0
Seat Belts - 3 Point Driver and Passenger	S	S
10.2" Stereo w/Touch Screen w/AM/FM/CD/DVD/Bluetooth/Navigation/APP Store/Wi-Fi	S	S
Driver Seat w/Reclining Back, Swivel and 6-way Power Controls	S	S
Driver and Passenger Overhead Storage Cabinetry	S	S
Air Suspension Deflation System	S	S
Sirius/XM Satellite Radio Ready (Requires Subscription)	S	S
Passenger Seat w/Reclining Back, Swivel, 6-way Power Controls and Power Footrest	0	0
Dash Air Conditioning and Heat	S	S
Electric Alert Horn	S	S
Passenger Seat w/Reclining Back, Swivel, 6-way Power Controls and Manual Footrest	S	S
Radio Switch Main/Auxiliary Power at Dash	S	S
Automatic Leveling Jacks Touchpad Controls	S	S
Momentary Battery Booster Switch - Connecting Chassis and House Batteries	S	S
LED Optiview Instrument Panel	S	S
Passenger Console	S	S
Switch for Power/Heated Mirrors	S	S
Driver Console w/Lower Storage Bin	S	S
Switch for Exterior Service Lights	S	S
Electronic Cruise Control	S	S
Front Power Roller Blind	S	S





12V and USB Accessory Ports	S	S
Windshield Wipers w/Delay	S	S
Automotive Style Wrap Around Dash	S	S
120V AC Outlet at Dash and Passenger Area	S	S
Keyless Entry w/Remotes	S	S